

This measure assesses the percentage of children younger than 18 years of age identified as having sickle cell disease (SCD) who received anticipatory guidance regarding the identification, prevention and/or management of stroke/silent infarcts as part of outpatient care during the measurement year. A higher proportion indicates better performance, as reflected by appropriate guidance.

Table 1: Codes to Identify Sickle Cell Disease

Condition Name	Hemoglobin Screening Result	ICD-9 Code(s)
Hb beta zero-thalassemia	Hb F only	282.49
Hb S beta-thalassemia	Hb F,S,A	282.41, 282.42
Hb SC-disease	Hb F,S,C	282.63, 282.64
Hb SD-disease	Hb F,S,D	282.68, 282.69
Hb SS-disease (sickle cell anemia)	Hb F,S	282.6, 282.61, 282.62

Table 2: Codes to Identify Outpatient Care

Description	CPT	HCPCS	ICD-9-CM Diagnosis
Office or other outpatient services	99201-99205, 99211-99215, 99241-99245		
Preventive medicine	99381-99385, 99391-99395, 99401-99404, 99411-99412, 99420, 99429	G0438, G0439	
General medical examination			V20.2, V70.0, V70.3, V70.5, V70.6, V70.8, V70.9

Table 3: Excluded Sickle Cell Disease Diagnosis Codes

Condition Name	Hemoglobin Screening Result	ICD-9 Code(s)
Hb C beta-thalassemia	Hb F,C,A	282.49
Hb D beta-thalassemia	Hb F,D,A	282.49
Hb E beta-thalassemia	Hb F,E,A	282.49
Hb C-disease	Hb F,C	282.7
Hb E-disease	Hb F,E	282.7
Hb H-disease	Hb F,H	282.49
Hb SE-disease	Hb F,S,E	282.68, 282.69
Hb C-carrier	Hb F,A,C	282.7
Hb D-carrier	Hb F,A,D	282.7
Hb E-carrier	Hb F,A,E	282.7
Hb S (sickle)-carrier	Hb F,A,S	282.5