

Multiple Chronic Conditions Chartbook

2010 MFDICAL EXPENDITURE PANEL SURVEY DATA








All of the information included in this chartbook is freely available for reproduction. Permission from the authors for the use the charts or graphics contained in this report is not necessary.



Percentage of All Americans with Multiple Chronic Conditions – 2010


Data Highlight

In 2010, over a half (51.7%) of all Americans had at least one chronic condition and almost 1/3 (31.5%) of all Americans had multiple chronic conditions.





Percentage of All Americans with Chronic Conditions, by Number of Chronic Conditions – 2010






Percent of All Americans with Chronic Conditions, by Number of Chronic Conditions and Gender – 2010

Data Highlight

Women were more likely than men to report multiple chronic conditions (34.7% for women compared to 28.2% for men).






Percent of All Americans with Multiple Chronic Conditions, by Age Group – 2010

Data Highlights


The prevalence of multiple chronic conditions increases dramatically with age.

Almost half of all people aged 45-64, and 80% of those 65 and over, have multiple chronic conditions.






Most Prevalent Chronic Conditions in Adults (18 and older) – 2010





Most Prevalent Chronic Conditions in Children (17 and younger) – 2010






Total U.S. Healthcare Spending by Number of Chronic Conditions in 2010

Data Highlights

86% of healthcare spending is fo patients with one or more chron conditions.

71% of healthcare spending is fo patients with multiple chronic conditions

 Said another way, 71¢ of every dollar of healthcare spending goes to treating people with multiple chroni conditions.






US Healthcare Spending Associated with Percent of Population by Number of Chronic Conditions – 2010

Data Highlight

35% of healthcare spending is for the 8.7% of people with five or more chronic conditions.



Percentage of Americans Percentage of total U.S. healthcare with multiple chronic conditions spending by number of chronic conditions




Average Healthcare Spending Per Capita, by Number of Chronic Conditions – 2010

Data Highlights

Compared to those without any chronic conditions:

- Spending is almost 2.5 times more for those with one chronic condition.
- Spending is almost 6 times more for those with three chronic conditions.
- Spending is 13.5 times more for those with five or more chronic conditions.






Percent of Healthcare Services Used by People with Multiple Chronic Conditions – 2010


Data Highlight


People with multiple chronic conditions account for the majority of clinician visits, prescriptions, home health visits and inpatient stays.





Average Annual Number of Clinician Visits Per Capita, by Number of Chronic Conditions – 2010








Average Annual Spending on Clinician Visits Per Capita, by Number of Chronic Conditions – 2010


Data Note

Spending here includes all payers including patients and insurance companies.





Average Annual Number of Prescriptions Filled Per Capita, by Number of Chronic Conditions – 2010






Average Annual Spending on Prescriptions Filled Per Capita, by Number of Chronic Conditions – 2010


Data Note

Spending here includes all paye including patients and insurance companies.





Average Annual Number of Home Health Visits Per Capita, by Number of Chronic Conditions – 2010






Average Annual Spending on Home Health Visits Per Capita, by Number of Chronic Conditions – 2010

Data Note

Spending here includes all payers, including patients and insurance companies.






Percent of All Inpatient Stays, by Number of Chronic Conditions – 2010

Data Highlight

38.5% of all inpatient hospital stays are for people with five or more chronic conditions.






Average Annual Spending on Inpatient Care Per Capita, by Number of Chronic Conditions – 2010


Data Note

Spending here includes all payers, including patients and insurance companies.





Percent of Enrollees with Multiple Chronic Conditions, by Insurance Type – 2010






Percent of People with Multiple Chronic Conditions Who Have Activity Limitations – 2010

Data Note

Activity limitations here include limitations to activities of daily living (e.g., bathing, dressing, eating) and instrumental activities of daily living (e.g., housework, shopping, taking medications), as well as any functional, activity or sensory limitations.






Average Annual Out-of-Pocket Expenditure Per Capita, by Number of Chronic Conditions – 2010


Data Note

Out-of-pocket healthcare spending increases with the number of chronic conditions.





Average Annual Out-of-Pocket Expenditure Per Capita, by Insurance Type – 2010






Percent of All Americans with Chronic Conditions, by Number of Chronic Conditions – 2006 and 2010

Data Highlights

Between 2006 and 2010, the percentage of people with chronic conditions increased from 49.7% to 51.7% and the percentage of people with multiple chronic conditions increased from 27.5% to 31.5%.

While the percentage of people living with one or two chronic conditions went down slightly between 2006 and 2010, the percentage of people with five or more chronic conditions increased from 5.1% in 2006 to 8.7% in 2010.






Total U.S. Healthcare Spending by Number of Chronic Conditions in 2010


Data Highlight

The percentage of healthcare spending that goes towards carl for people with five of more chronic conditions increased fro 22% in 2006 to 35% in 2010.





Total U.S. Healthcare Spending by Number of Chronic Conditions in 2006





Average Annual Healthcare Spending Per Capita, by Number of Chronic Conditions – 2006 and 2010

Data Highlights

The average annual expenditure per patient increased for patients with zero, one and five or more chronic conditions between 2006 and 2010, but decreased for those with two, three and four chronic conditions.

